GREWIN INDUSTRIAL GROUP CO.,LTD.
TEL/WhatsApp: +86 18622096679
Mail: admin@coilwindingmachinechina.com
Web:www.coilwindingmachinechina.com
WhatsApp
WeChat

NAME:ACGW23-2 CNC two spindle Winding Machine



Specifications

Spindle number	2
Wire size range	0.1-1.2mm
Loop diameter	80mm
Max wire distance	9.99mm
Winder width	100mm
Max. speed	4000RPM
Spindle motor	Three Phase motor+AC Drivers
Winder motor	stepping motor
Max. winder diameter	80mm
Input power	220V 50HZ/60HZ
Machine size	460×660×600mm
Package size	540×730×580mm
Net weight	70kg
Gross weight	88kg

Features:

Two spindle synchronous designs conform to customers winding the thicker diameter ,winding demanding developed Winder .

Professional winding various long type coil, two side spindle synchronous rotation, stable and reliable.

CNC two spindle Winding Machine design of 32 bit controller chip, It'll be faster and higher reliability.

GREWIN INDUSTRIAL GROUP CO.,LTD.
TEL/WhatsApp: +86 18622096679
Mail: admin@coilwindingmachinechina.com
Web:www.coilwindingmachinechina.com
WhatsApp
WeChat

In Chinese and English display,easy to operation,winding data retention after power failure, not to discarded products.
All the parts for two spindle Winding Machines are imported prats,such as:Japan Bearing (NSK、NTN),Japan BANDO belt ， Japan GATES belt ， Taiwan Ball screw (TBI)，Taiwan AC Drive and so on.

Advantage：

CNC two spindle Winding Machine use high quality bearing steel, reinforced machine body, to ensure product stability.
Pull lever tail stock design,operation more faster and convenient.
Adjustable wire shelf, to prevent loose wire. (Optional)

APPLICATION:

CNC two spindle Winding Machine for application of insulation tape to wound coils. it is best suited to toroidal inductor, toroidal transformer, toroidal current transformer, toroidal coil, toroid choke coil, power inductors, power magnetics, UPS inductor, converter inductors, heavy toroidal core,etc.
The coil is placed by an operator on a rotating spindle, and the machine automatically applies the required number of turns of insulation tape, secures the end of the tape with a wiping action, and ejects the coil from the machine.
It's an accurately and reliability digital automatic toroid-taping machine. it is used for wraping the insulation tape on the toroidal core and windings. Automatic Toroid Transformer Coil Taping Machine is designed to operate with a wide variety of insulation tapes, including Kapton, Polyester, PEN, PVC, PPS, and most other woven and non-woven types.



GREWIN INDUSTRIAL GROUP CO.,LTD.
Add: The fouth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.

GREWIN INDUSTRIAL GROUP CO.,LTD.
TEL/WhatsApp: +86 18622096679
Mail: admin@coilwindingmachinechina.com
Web:www.coilwindingmachinechina.com
WhatsApp
WeChat

PRACTICAL APPLICATION :

TRAINNING CUSTOMER TO OPERATE WINDING MACHNE :

1.All service engineers with 10 years experience are gotten special technology training, who can deal with various breakdown problem.

2.Guide the user to use accurately and how to maintain the CNC two spindle Winding Machine .

Provide free consultation about production process technology of electronic CNC two spindle Winding Machine .

3.In order to guarantee the machine used normally, we'd have training on how to operate, use and maintain our product by English man ual, video, guiding on line.



GREWIN INDUSTRIAL GROUP CO.,LTD.
Add: The fouth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.

GREWIN INDUSTRIAL GROUP CO.,LTD.
TEL/WhatsApp: +86 18622096679
Mail: admin@coilwindingmachinechina.com
Web:www.coilwindingmachinechina.com
WhatsApp
WeChat

PACKAGING:

Packaging Material: Carton/Wooden case with foam inside.

1.General package(Paper carton or plastic bag): For small euipped parts for Toroidal Transformer Winding Machine , Package it with form and pack paper to guarantee unbroken during the transport.

2.Wooden case package: For larger scale Toroidal Winding machine ,we have special skilled carpenter, who would make the proper wooden case with exact thickness,density,length. The up arrow ↑marked on the outer wooden c ase. Buffer material would be put in the wooden case to prevent crack and shock.







GREWIN INDUSTRIAL GROUP CO.,LTD.
Add: The fouth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.

GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com


Web:www.coilwindingmachinechina.com

WhatsApp WeChat

Below is the name of all listed accessories for the machine and construction diagram.

(Note:Different machines have different equiped parts)

FREQUENCY CONVERTER	IRON COUNTER
BIG GEAR RING	HAND RING GEAR
INTERFACE GEAR	MAINSHAFT GEAR
IMPORTED BEARING	WIRE PULLEY
WIRE GUIDER BASE	GREEN SWITCH
POTENTIOMETER	LEFT RIGHT SWITCH
TRANSDUCER PNP	COUNTER WIRE
CASE CIRCUIT BOARD	THE BOARD OF THE CASE BACK
CONTROLLER	TAPE CUTTER
BRAKE UNIT	WIRE GUIDE WHEEL
DISPLAY AND CONTROLLER FOR MAGAZINE ROTATION	WIRE GUIDE HOLDER
FOOT PADALS	PCB BOARD FOR FOOT PADALS
LEATHER BELT	LEATHER PAD
FAN	SPRING FOR TAPE



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fouth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.

GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com

WhatsApp

WeChat

FACTORY:

We-GREWIN INDUSTRIAL GROUP is expert in winding machines lines for 28Years. Our Grewin have ISO9001:2015,CE approvals,Machines'Patents,"high-tech enterprises"by the government.





GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fouth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.